ORION 208

The ORION 208 is a flexible double-sided High Definition OB digital truck. ORION 208 has four areas and is built for productions of up to 12 cameras.

Parking & Power

Length main/ tender truck	12 m
Height main/ tender truck	4 m
Width main/ tender truck	2,5 m
Width main truck in services	4,7 m
Weight main/ tender truck	27 tonnes
Power requirement	3 phase 5p CEE 63Amp 3 phase 30KVA
Power generator tender truck	n.a.
Double expanding rigid	16 workstations

Audio

Audio mixer	Studer Vista 8, 52 faders
Monitoring	Dynaudio 5.1
Devices	M6000, Spot-on, Waves server

Communications

Intercom matrix	RTS Cronus 64x64
Intercom panels	17 keypanels
Wireless intercom	Motorola

Video

Video mixer 1	GV Kayak HD300, 4ME
Panel video mixer 1	GV Kayenne XL, 3ME
Multiviewers/ Monitors	Axon MV & Sony monitors
Video mixer 2	n.a.
Panel video mixer 2	On request
Router	GV 192x224
Controler	VSM
Cameras	Cameras & Lenses | HD, Highspeed & Wireless on request

Servers/ EVS

Server positions	4x EVS position
Server type	On request: EVS XT 3 & XT VIA SimplyLive Vibox 8 & 16, Sony PWS 4500


Capture formats

12 camera's (HD)
HD (1080i)




ORION 208

Truck Layout



Monitorstack



ORION 208

